



保证功率  
84.95%



|                      | STC   | NMOT  | STC   | NMOT  | STC   | NMOT  | STC   | NMOT  | STC   | NMOT  |
|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| (P <sub>s</sub> / I) | 650   | 492   | 655   | 495   | 660   | 499   | 665   | 503   | 670   | 507   |
| (H <sub>bb</sub> /H) | 37.8  | 35.4  | 38.0  | 35.6  | 38.2  | 35.8  | 38.4  | 36.0  | 38.6  | 36.1  |
| (I <sub>bb</sub> /A) | 17.20 | 13.88 | 17.24 | 13.91 | 17.28 | 13.95 | 17.32 | 13.99 | 17.36 | 14.02 |
| (H <sub>u</sub> /H)  | 45.4  | 42.9  | 45.6  | 43.1  | 45.8  | 43.3  | 46.0  | 43.5  | 46.2  | 43.7  |
| (I <sub>u</sub> /A)  | 18.29 | 14.74 | 18.33 | 14.77 | 18.37 | 14.81 | 18.41 | 14.84 | 18.45 | 14.87 |
| (%)                  | 20.90 |       | 21.10 |       | 21.30 |       | 21.40 |       | 21.60 |       |


EFC : 1000I / \_ , AM1.5, 25 Op+5I f 3%  
 NMOF( ) 800I / \_ , AM1.5 20 1\_ / e

( 650W )

|                      | 5%    | 10%   | 15%   | 20%   | 25%   |
|----------------------|-------|-------|-------|-------|-------|
| (P <sub>s</sub> / I) | 688   | 721   | 753   | 786   | 819   |
| (H <sub>bb</sub> /H) | 38.00 | 38.00 | 38.00 | 38.00 | 38.00 |
| (I <sub>bb</sub> /A) | 18.10 | 18.96 | 19.83 | 20.69 | 21.55 |
| (H <sub>u</sub> /H)  | 45.40 | 45.40 | 45.40 | 45.40 | 45.40 |
| (I <sub>u</sub> /A)  | 19.22 | 20.13 | 21.05 | 21.96 | 22.88 |

|  |                                    |
|--|------------------------------------|
|  | 12BB                               |
|  | 132 (6*22)                         |
|  | 2384*1303*35_ (93.86*51.30*1.38 )  |
|  | 38.5] Y (84.88Te.)                 |
|  | 2.O_ _                             |
|  | 2.O_ _                             |
|  |                                    |
|  | IP68, 3                            |
|  | 4_ _ , (IEC), 12AI G(GL)<br>300_ _ |
|  | F01/LJQ-3-CEK/MC4/MC4-EHO2         |

|  |               |
|--|---------------|
|  | 1500H/DC      |
|  | -40, Cp+85, C |
|  | 35A           |
|  | C'See         |
|  | 5400PS 2400PS |
|  | 70% f 5%      |



|  |  |
|--|--|
|  |  |
|  |  |

|  |     |         |
|--|-----|---------|
|  | 31  | 31(GEA) |
|  | 558 | 465     |

